

'endless
collection



**NEARLY
INDESTRU-
CTIBLE**




MANGALAM ALUTECH

System Windows



INSPIRATION CAN
COME FROM
ANYWHERE
ANY TIME.





MANGALAM ALUTECH


System Windows



Discover the new Windows Collection designed to allow you to express all of your creativity on interior design projects. More color, more finishes, windows Collection innovates to bring you decorative solutions for elegance interior.

We create for you.

SYSTEMS





CERTIFIED
QUALITY



THICKNESS
GUARANTEED



WIDE RANGE
OF PRODUCTS

Ingeniuos augm entation

MANGALAM ALUTECH

Mangalam stands as a prestigious force in the realm of aluminium system windows within the nation, celebrated for its pioneering role in shaping innovative aluminium and UPVC system windows products. Mangalam's foundation is rooted in a deep appreciation for meticulous craftsmanship and an unwavering commitment to precision and backed by more than 20 years of experience of this field.


Our collection of products is a testament to refined taste and leisure, thoughtfully curated to embody elegance. Mangalam's aspiration transcends borders, aiming to secure a global position as a frontrunner in luxury fenestration system designs. The company excels in crafting lavish designs for premium residential Doors and Window systems. Operating through an extensive distribution network, we serve our valued channel partners, including fabricators and distributors, with a dedicated focus on the Residential, Commercial, and Industrial sectors. Mangalam's tireless pursuit of excellence has touched and enhanced lives across the nation.

As triumph accompanies dedication, we amalgamate cutting-edge security and protective features into our offerings.

since the inception group prowess in the stringent quality and advance product research capabilities to achieve the best position in the market.

Personalised services, competitive pricing, prompt deliveries and quality finishes are the hallmarks that set Silvano apart from the rest.

a core
competency
of chieftain



ABOUT US

“

Build the best product, cause no unnecessary harm, use business to inspire and implement solutions to the environmental crisis.

”

INDEX

1.	27mm Slim System	6
2.	27mm All in one Slim System	7
3.	29mm Slim System	8
4.	32mm Slim System	9
5.	35mm Slim System	10
6.	40mm Casement System	11
7.	40mm Casement All in One System	12
8.	50mm Casement System	13
9.	50mm Door System	14
10.	Slide & Fold System	15
11.	Tilt & Turn System	16
12.	Parallel Window	17
13.	Vertical Slider Window	18
14.	Life & Slide System	19
15.	Barrier Free Casment System	20
16.	Pleated Mesh	21
17.	Ultra Slik System	22
18.	Gulf Series	23
19.	Slik Partition System	24
20.	Railing System	25

a core
competency
of chieftain

Product Name

27mm Slim System

01



CHARACTERISTICS

- » European Design
- » Smooth & Effortless in movement
- » Dust Resistance & Better Sound Reduction
- » Automatic, manual Concealed & Multipoint Lock System
- » Design for Medium to large size shutter sliding
- » Single Roller Capacity 65 Kg.
- » Double Roller Capacity 110-180 Kg.
- » Premium Quality Aluminum Profiles
- » Available in Anodized, Powder Coating & Wood Finish
- » Glazing From 5 mm to 20 mm
- » Reinforced Profiles available with in larger opening
- » 2 Track & 3 Track Available
- » Bug & Burglar Proof window
- » close track system
- » Provision for insect screen



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance




02 **27mm All in one Slim System**

Product Name



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » 2 Track & 3 Track Available
- » Glazing From 5 mm to 20 mm
- » Aluminium Roller Capacity 65 Kg.
- » Double Roller Capacity 110-180 Kg.
- » Smooth and Effortless in movement
- » Automatic, manual Concealed & Multipoint Lock System
- » Provision for insect screen
- » Available in Anodized, Powder Coating & Wood Finish
- » Reinforced Profiles available with in larger opening with close track system
- » Design for Medium to large size shutter sliding
- » Bug & Burglar Proof window
- » Dust Resistance & Better Sound Reduction
- » Aluminium Safety Grill With Bright Bar Integrated.



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance

Product Name

29mm Slim System

03



CHARACTERISTICS

- » European Design
- » Smooth & Effortless in movement
- » Dust Resistance & Better Sound Reduction
- » Automatic, manual Concealed & Multipoint Lock System
- » Design for Medium to large size shutter sliding
- » Single Roller Capacity 65 Kg.
- » Double Roller Capacity 110-180 Kg.
- » Premium Quality Aluminum Profiles
- » Available in Anodized, Powder Coating & Wood Finish
- » Glazing From 5 mm to 20 mm
- » Reinforced Profiles available with in larger opening with
- » 2 Track & 3 Track Available
- » Bug & Burglar Proof window
- » close track system
- » Provision for insect screen
- » Bearing Clip For Smoth Roller Movement.



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance




04

Product Name
32mm Slim System



CHARACTERISTICS


- » Premium Quality Aluminum Profiles
- » European Design
- » 2 Track & 3 Track Available
- » Glazing From 5 mm to 26 mm
- » Aluminium Roller Capacity 70 Kg.
- » Double Roller Capacity 120-200 Kg.
- » Smooth & Effortless in movement
- » Automatic, manual Concealed & Multipoint Lock System
- » Provision for insect screen
- » Available in Anodized, Powder Coating & Wood Finish
- » Reinforced Profiles available with in larger opening with close track system
- » Design for Medium to large size shutter sliding
- » Bug & Burglar Proof window
- » Dust Resistance & Better Sound Reduction
- » Bearing Clip For Smooth Roller Movement.



Product Name

35mm Slim System

05



CHARACTERISTICS

- » European Design
- » Smooth & Effortless in movement
- » Dust Resistance & Better Sound Reduction
- » Automatic, manual Concealed & Multipoint Lock System
- » Design for Medium to large size shutter sliding
- » Single Roller Capacity 75 Kg.
- » Double Roller Capacity 120-200 Kg.
- » Premium Quality Aluminum Profiles
- » Available in Anodized, Powder Coating & Wood Finish
- » Glazing From 5 mm to 18 mm
- » Reinforced Profiles available with in larger opening with
- » 2 Track & 3 Track Available
- » Bug & Burglar Proof window
- » close track system
- » Provision for insect screen
- » Bearing Clip For Smoth Roller Movement.



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness





Impact Resistance




06

Product Name
40mm Casement System



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 20 mm
- » Co-extruded gasket which can withstand -30c to +50c
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Provision for insect screen
- » Smooth & Effortless in movement
- » Design for Medium Opening and mid wind load condition
- » External Opening systems
- » Bug & BurglarProof window
- » Dust Resistance & Better Sound Reduction
- » Easy Clean Hinges Available.



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance

Product Name

40mm Casement All in One System 07



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 20 mm
- » Aluminium Safety Grill with Bright bar Integrated.
- » Co-extruded gasket which can withstand -30°C to +50°C
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Provision for insect screen
- » Smooth & Effortless in movement
- » Design for Medium Opening and mid wind load condition
- » External Opening systems
- » Bug & Burglar Proof window
- » Dust Resistance & Better Sound Reduction
- » Easy Clean Hinges Available.



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness






Impact Resistance



08

Product Name
50mm Casement System



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 38 mm
- » Molding & square shape Clip
- » Glazing from inside for security
- » Co-extruded gasket which can withstand -30c to +50c
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Smooth & Effortless in movement
- » External Opening System
- » Design for Medium Opening and High wind load condition
- » Bug & Burglar Proof window
- » Dust Resistance & Better Sound Reduction
- » Easy Clean Hinges Available.
- »



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance

Product Name

50mm Door System

09



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 38 mm
- » Molding & square shape Clip
- » Glazing from inside for security
- » Co-extruded gasket which can withstand -30°C to +50°C
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Smooth & Effortless in movement
- » Design for Larger Opening and wind load condition
- » External Opening system
- » Bug & Burglar Proof window
- » Dust Resistance & Better Sound Reduction
- »



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness





Impact Resistance



10

Product Name
Slide & Fold System



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 58 mm
- » Bottom Sliding System
- » Molding & square shape Clip
- » Glazing from inside for security
- » Co-extruded gasket which can withstand -30c to +50c
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Smooth & Effortless in movement
- » Design for Larger Opening and High wind load condition
- » Internal & External Opening system
- » Bug & Burglar Proof window
- » Dust Resistance & Better Sound Reductio
- »



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance

Product Name

Tilt & Turn System

11



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 38 mm
- » Tilt & Turn windows & door Compatible
- » Molding & square shape Clip
- » Glazing from inside for security
- » Co-extruded gasket which can withstand -30°C to +50°C
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Smooth & Effortless in movement
- » Design for Larger Opening and High wind load condition
- » External Opening system
- » Burglar Proof Door System
- » Dust Resistance & Better Sound Reduction
- » Easy to Use in Congested for Ventilation.
- »



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness






Impact Resistance




12

Product Name
Parallel Window



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 20 mm
- » Glazing from inside for security
- » Co-extruded gasket which can withstand -30c to +50c
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Smooth & Effortless in movement
- » Design for Ventilation Opening and High wind load condition
- » Internal & External Opening system
- » Bug & Burglar Proof window
- » Dust Resistance & Better Sound Reductio
- » Better for use of more Ventilation Without Mush Efforts.
- »



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness




Impact Resistance

Product Name

Vertical Slider Window

13



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 20 mm
- » Glazing from inside for security
- » Co-extruded gasket which can withstand -30°c to +50°c
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Smooth & Effortless in movement
- » Burglar Proof Door System
- » Dust Resistance & Better Sound Reduction
- » Design for Vertical Opening in Small Spaces.



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness





Impact Resistance




14

Product Name
Life & Slide System



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 24 mm
- » Bottom Sliding System
- » Glazing from inside for security
- » Co-extruded gasket which can withstand -30c to +50c
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Smooth & Effortless in movement
- » Design for Larger Opening and High wind load condition
- » Internal & External Opening system
- » Bug & Burglar Proof window
- » Dust Resistance & Better Sound Reduction
- » Smart Roller Lock System For Required Opening
- » Child Safety.
- »



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance

Product Name

Barrier Free Casement System

15



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 38 mm
- » Molding & square shape Clip
- » Glazing from inside for security
- » Co-extruded gasket which can withstand -30°C to +50°C
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Smooth & Effortless in movement
- » Design for Larger Opening and High wind load condition
- » External Opening system
- » Burglar Proof Door System
- » Dust Resistance & Better Sound Reduction
- » Maximum Opening Space.
- » Barrier Free Opening without any Intervention.
- »



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness





Impact Resistance



16

Product Name
Pleated Mesh



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Smooth & Effortless in movement
- » Design for Larger Opening and High wind load condition
- » Fiber Glass Mosquitonet for long life.
- » Prevents insects & Mosquitos from outside.
- » Dust Free & Easy to Clean.
- » Maxim Opening for our Convienamt Use.



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance

Product Name

Ultra Slik System

17



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 38 mm
- » Tilt & Turn winwos & door Compatible
- » Molding & square shape Clip
- » Glazing from inside for security
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Smooth & Effortless in movement
- » Design for Larger Opening and High wind load condition
- » External Opening system
- » Burglar Proof Door System
- » Dust Resistance & Better Sound Reduction
- » Available in 2 Track
- » Minimum Sash for Maximum View From Every Angle.
- » Ideal For Bigger Opening
- »



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance




18

Product Name
Gulf Series



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » Gulf Design
- » Glazing From 5 mm to 58 mm
- » Bottom Sliding System
- » Glazing from inside for security
- » Corner joints & T-joint for stronger mechanical joinery
- » Single Point to Multipoint locking systems
- » Smooth & Effortless in movement
- » Design for Larger Opening and High wind load condition
- » Internal & External Opening system
- » Bug & Burglar Proof window
- » Dust Resistance & Better Sound Reductio
- » Minimum Frame grows for soothing look.
- » Easy to clean & Maintain.
- »



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance

Product Name

Slik Partition System

19



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » European Design
- » Glazing From 5 mm to 12 mm
- » Corner joints & T-joint for stronger mechanical joinery
- » Smooth & Effortless in movement
- » Design for Larger Opening and High wind load condition
- » Burglar Proof Door System
- » Dust Resistance & Better Sound Reduction
- » Convenient for maximum views and less abstraction.
- » convenient for office partition and home partition.
- »



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness




Impact Resistance



20

Product Name
Railing System



CHARACTERISTICS

- » Premium Quality Aluminum Profiles
- » Glazing From 8 mm to 12 mm
- » Corner joints & T-joint for stronger mechanical joinery
- » Aesthetic Designs To Match with your home Design.
- » Available in continuous & bracket system
- » Wooble & Shatter proof.
- » Available in Anodize & Powder Coating & Wooden Finish.



Burglar Resistance



Acoustic Performance



Wind Load Resistance



Air Tightness



Water Tightness



Impact Resistance

System Windows



'endless
collection



MANGALAM ALUTECH

📍 Tirupati industrial area street no 1 , opp. Fortune Hotel, 150 ft Ring Road Rajkot-360004

✉️ mangalamalutech@gmail.com

📞 **Ruchit Patel**
+91 98794 32132



Click or Scan For
WhatsApp



Click or Scan For
Location
(Rajkot Branch)



Click or Scan For
Location
(Broda Branch)